Pflügers Archiv

European Journal of Physiology

Vol. 416 1990

Field Editors

G. ten Bruggencate, München
E. E. Carmeliet, Leuven
R. Casteels, Leuven
P. Cerretelli, Geneva
H. Collewijn, Rotterdam
C. de Rouffignac, Gif-sur-Yvette
J.-M. Dubois, Orsay
B. R. Duling, Charlottesville, VA
E. Frömter, Frankfurt (Main)
P. Gaehtgens, Berlin
R. Greger, Freiburg
W. Hasselbach, Heidelberg
J. Heller, Prag
M. Imai, Tochigi
C. Jessen, Giessen
F. Kreuzer, Nijmegen
H. Kuriyama, Fukuoka
J. Molgó, Gif-sur-Yvette
H. Murer, Zürich
B. Nilius, Halle
O. H. Petersen, Liverpool
J. Piiper, Göttingen
M. M. Popovtzer, Jerusalem
R. Rahamimoff, Jerusalem
R. S. Reneman, Maastricht
D. W. Richter, Göttingen
D. O. Schlondorff, Bronx
H. Seller, Heidelberg
E. Simon, Bad Nauheim
A. Trzebski, Warsaw
W. Ulbricht, Kiel
W. van Driessche, Leuven
R. Weingart, Bern
J. A. Young, Sydney

Subject Editors

E. Gerlach, München
P. Deetjen, Innsbruck
O. Pompeiano, Pisa

Coordinating Editor

K. Thurau, München

Springer International

Pflügers Archiv · European Journal of Physiology

Founded in 1868 as „Pflügers Archiv für die gesamte Physiologie des Menschen und der Tiere" by *E. F. W. Pflüger.* Edited by *M. Verworn, E. Abderhalden, A. Bethe, R. Höber, A. v. Muralt, H. Rein* et al.

Published: Vol. 1–29 (1876) Cohen und Sohn, Bonn; Vol. 30–92 (1901) E. Strauß, Bonn; Vol. 93–170 (1917) M. Hager, Bonn; since Vol. 171 (1918) Springer, Berlin.

Since 1920 Pflügers Archiv has included: „Archiv für Physiologie" (Archiv für Anatomie und Physiologie, Physiologische Abteilung). Founded and edited by Johannes Müller, E. du Bois-Reymond, W. v. Waldeyer-Hartz et al. 1877–1914. Veit und Co., Leipzig, since 1915, Vereinigung Wissenschaftlicher Verleger, afterwards Walter de Gruyter, Berlin.

Copyright

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA

Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. This fee is US$ 0.20 per page, or a minimum of US$ 1.00 if an article contains fewer than five pages. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0031-6768, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

Springer-Verlag Berlin Heidelberg New York

Printers: Wiesbadener Graphische Betriebe GmbH, Wiesbaden

© Springer-Verlag GmbH & Co. KG, Berlin Heidelberg 1990

Printed in Germany

Contents of volume 416

No. 1–2 (pp 1–224) published April 26, 1990
No. 3 (pp 225–350) published May 29, 1990
No. 4 (pp 351–476) published June 30, 1990
No. 5 (pp 477–614) published July 30, 1990
No. 6 (pp 615–768) published August 27, 1990

This volume also contains:

Abstracts of the Young Physiologists Meeting, Dutch Physiological Society, 24 April 1990, Amsterdam, The Netherlands S1–S8

Abelenda M → Puerta ML 659
Abelenda M, Puerta ML: Cold-induced thermogenesis in hypothyroid rats 663
Abrahamse SK → Herzog W 113
Abramow M → Cogan E 694
Adam LP, Henderson EG: Calcium channel effectors are potent non-competitive blockers of acetylcholine receptors 586
Akabane S → Matsushima Y 715
Allen DG → Blanchard EM 219
Almon RR → Zemková H 126
Alpert NR → Blanchard EM 219
Alvarez JL, Mongo K, Scamps F, Vassort G: Effects of purinergic stimulation on the Ca current in single frog cardiac cells 189
Announcement 476
Antoni H → Eickhorn R 398
Arner A → Kühn H 512
Ashcroft FM → Roeper J 473
Auerbach AL → Davidson RM 646
Avila-Sakar AJ → Garcia J 210

Baskin RJ → Kerr WL 679
Baum BJ → He X 36
Beck FX → Dörge A 335
Beck FX → Sauer M 88
Benndorf K → Friedrich M 207
Bergamini E → De Tata V 673
Bergman O → Klitgaard H 470
Betto R → Klitgaard H 470
Bidet M, Tauc M, Koechlin N, Poujeol P: Video microscopy of intracellular pH in primary cultures of rabbit proximal and early distal tubules 270
Birnberg NC → Flamm RE 120
Blanchard EM, Smith GL, Allen DG, Alpert NR: The effects of 2,3-butanedione monoxime on initial heat, tension, and aequorin light output of ferret papillary muscles 219
Blatter LA: Intracellular free magnesium in frog skeletal muscle studied with a new type of magnesium-selective microelectrode: interactions between magnesium and sodium in the regulation of $[Mg]_i$ 238
Bois P, Lenfant J: Isolated cells of the frog sinus venosus: properties of the inward current activated during hyperpolarization 339
Bolton TB → Hughes AD 398
Boton R → Singer D 7
Boton R, Singer D, Dascal N: Inactivation of calcium-activated chloride conductance in Xenopus oocytes: roles of calcium and protein kinase C 1
Brozovich FV, Walsh MP, Morgan KG: Regulation of force in skinned, single cells of ferret aortic smooth muscle 742
Bryant SH → Heiny JA 288
Busse R → Lückhoff A 305
Butlen D → Semmekrot B 519

Caldwell JH → Milton RL 758
Callawaert G → Heidbüchel H 213
Carbone E, Sher E, Clementi F: Ca currents in human neuroblastoma IMR32 cells: kinetics, permeability and pharmacology 170
Carmeliet E → Heidbüchel H 213
Casteels R → Himpens B 28
Chabardès D → Semmekrot B 519
Chahine M → Sauvé R 43
Chapman RA → Rodrigo GC 196
Chegini S → Kurtz A 281
Clausen T → Klitgaard H 470
Clauss W → Fischer H 62
Clemens N, Siffert W, Scheid P: Thrombin-induced cytosolic alkalinization in human platelets occurs without an apparent involvement of HCO_3^-/Cl^- exchange 68
Clementi F → Carbone E 170
Cogan E, Nortier J, Abramow M: Impaired hydroosmotic response to vasopressin of cortical collecting tubules from lithium-treated rabbits 694
Cognard C → Nasri-Sebdani M 106
Cognard C, Rivet M, Raymond G: The blockade of excitation/contraction coupling by nifedipine in patch-clamped rat skeletal muscle cells in culture 98
Connold A → De Luca A 17
Conte Camerino D → De Luca A 17
Cottrell GA, Green KA, Davies NW: The neuropeptide Phe-Met-Arg-Phe-NH_2 (FMRFamide) can activate a ligand-gated ion channel in *Helix* neurones 612
Covarrubias M, Steinbach JH: Excision of membrane patches reduces the mean open time of nicotinic acetylcholine receptors 385
Cukierman S, Krueger BK: Modulation of sodium channel gating by external divalent cations: differential effects on opening and closing rates 360
Czachurski J → Seller H 735

Dahlheim H → Häberle DA 548
Dally LJ → Delbridge LM 94
Dascal N → Boton R 1
Dascal N → Singer D 7
Davidson RM, Tatakis DW, Auerbach AL: Multiple forms of mechanosensitive ion channels in osteoblast-like cells 646
Davies NW → Cottrell GA 612
Davis JM → Häberle DA 548
De Luca A, Conte Camerino D, Connold A, Vrbová G: Pharmacological block of chloride channels of developing rat skeletal muscle affects the differentiation of specific contractile properties 17
De Tata V, Del Roso A, Gori Z, Bergamini E: Effects of the administration of angiotensin II on cardiac glycogen metabolism in the rat 673
Del Roso A → De Tata V 673
Delbridge LM, Harris PJ, Pringle JT, Dally LJ, Morgan TO: A superfusion bath for single-cell recording with high-precision optical depth control, temperature regulation, and rapid solution switching 94
Deltmer P → Noack Th 467
Denger R → Doerr T 230
Diarra A → Sauvé R 43
Dörge A → Nagel W 53
Dörge A, Beck FX, Rick R, Nagel W, Thurau K: Effect of amiloride on electrolyte concentrations and rubidium uptake in principal and mitochondria-rich cells of frog skin 335
Doerr A → Doerr T 230
Doerr T, Denger R, Doerr A, Trautwein W: Ionic currents contributing to the action potential in single ventricular myocytes of the guinea pig studied with action potential clamp 230
Doi T → Wada M 689
Dubois J-M → Rouzaire-Dubois B 393

Eickhorn R, Weirich J, Hornung D, Antoni H: Use dependence of sodium current inhibition by tetrodotoxin in rat cardiac muscle: influence of channel state 398
Eisenberg RS → Tang JM 347
Elzinga G → Leijendekker WJ 22

Felde D → Jessen C 428
Fernández A → Puerta ML 659
Fischer H, Clauss W: Regulation of Na^+ channels in frog lung epithelium: a target tissue for aldosterone action 62
Flamm RE, Birnberg NC, Kaczmarek LK: Transfection of activated *ras* into an excitable cell line (AtT-20) alters tetrodotoxin sensitivity of voltage-dependent sodium current 120
Flemmer A → Sauer M 88
Forgo J → Reshkin SJ 624
Forgo J → Reshkin SJ 554
Friedrich M, Benndorf K, Schwalb M, Hirche Hj: Effects of anoxia on K and Ca currents in isolated guinea pig cardiocytes 207
Fromm M, Schulzke J-D, Hegel U: Aldosterone low-dose, short-term action in adrenalectomized glucocorticoid-substituted rats: Na, K, Cl, HCO_3, osmolyte, and water transport in proximal and rectal colon 573

Fujimoto M → Ohno-Shosaku T 138
Furuya E → Takami H 144

Gagelmann M → Kühn H 512
Gallagher MJP → McGeown JG 667
Garcia J, Avila-Sakar AJ, Stefani E: Repetitive stimulation increases the activation rate of skeletal muscle Ca^{2+} currents 210
Garneau L → Sauvé R 43
Gibbs CL → Holroyd SM 406
Giebisch G 422
Göbel U, Schröck H, Seller H, Kuschinsky W: Glucose utilization, blood flow and capillary density in the ventrolateral medulla of the rat 477
Golenhofen K → Noack Th 467
Gori Z → De Tata V 673
Green KA → Cottrell GA 612
Griffiths NM, Simmons NL: Localisation and characterisation of functional vasoactive intestinal peptide receptors in feline kidney 80
Grygorczyk C → Schlichter L 413
Grygorczyk R → Schlichter L 413
Gstraunthaler G → Oberleithner B 540
Güth K → Kühn H 512

Hablitz JJ → Mistry DK 454
Häberle DA, Königbauer B, Davis JM, Kawata T, Mast C, Metz C, Dahlheim H: Autoregulation of the glomerular filtration rate and the single-nephron glomerular filtration rate despite inhibition of tubuloglomerular feedback in rats chronically volume-expanded by deoxycorticosterone acetate 548
Hainsworth AH → Roeper J 473
Haji A → Takeda R 375
Hallbrucker Ch → Rehwald W 722
Haraoka S → Tani H 442
Harris PJ → Delbridge LM 94
Hazama A, Okada Y: Biphasic rises in cytosolic free Ca^{2+} in association with activation of K^+ and Cl^- conductance during the regulatory volume decrease in cultured human epithelial cells 710
He X, Wu X, Baum BJ: The effect of *N*-(6-aminohexyl)-5-chloro-1-naphthalenesulfonamide (W-7) on muscarinic receptor-induced Ca^{2+} mobilization in a human salivary epithelial cell line 36
Hegel U → Fromm M 573
Heidbüchel H, Callawaert G, Vereecke J, Carmeliet E: ATP-dependent activation of atrial muscarinic K^+ channels in the absence of agonist and G-n ucleotides 213
Heiny JA, Valle JR, Bryant SH: Optical evidence for a chloride conductance in the T-system of frog skeletal muscle 288
Helmle-Kolb C, Montrose MH, Murer H: Parathyroid hormone regulation of Na^+/H^+ exchange in opossum kidney cells: polarity and mechanisms 615
Henderson EG → Adam LP 586
Henquin J-C: Role of voltage- and Ca^{2+}-dependent K^+ channels in the control of glucose-induced electrical activity in pancreatic B-cells 568
Hering S → Hughes AD 462
Herzog W, Abrahamse SK, ter Keurs HEDJ: Theoretical determination of force-length relations of intact human skeletal muscles using the cross-bridge model 113
Himpens B, Casteels R: Different effects of depolarization and muscarinic stimulation on the Ca^{2+}/force relationship during the contraction-relaxation cycle in the guinea pig ileum 28
Hina K → Tani H 442
Hirche Hj → Friedrich M 207
Hisada T, Kurachi Y, Sugimoto T: Properties of membrane currents in isolated smooth muscle cells from guinea-pig trachea 151
Hník P → Zemková H 126
Holroyd SM, Gibbs CL, Wendt IR: The effect of increasing extracellular potassium concentration on the resting heat rate of the isolated rat papillary muscle 406
Hootman SR → Stuenkel EL 652
Hornung D → Eickhorn R 398
Hughes AD, Hering S, Bolton TB: The action of caffeine on inward barium current through voltage-dependent calcium channels in single rabbit ear artery cells 462
Hukuhara T Jr → Takeda R 375
Hunter M → Kawahara K 422
Hunter M: Stretch-activated channels in the basolateral membrane of single proximal cells of frog kidney 448

Imai M → Matsushima Y 715
Imai M → Shimizu T 254
Imai M, Yoshitomi K: Electrophysiological study of inner medullary collecting duct of hamsters 180
Imanishi M → Matsushima Y 715
Ito H → Kurachi Y 216

Jaimovich E → Rojas C 296
Jarolimek W, Misgeld U, Lux HD: Neurons sensitive to pH in slices of the rat ventral medulla oblongata 247
Jessen C, Felde D, Volk P, Kuhnen G: Effects of spinal cord temperature on the generation and transmission of temperature signals in the goat 428

Kaczmarek LK → Flamm RE 120
Kaila K, Voipio J: Dependence of intracellular free calcium and tension on membrane potential and intracellular pH in single crayfish muscle fibres 501
Kapelko VI → Pisarenko OI 434
Karaki H → Ozaki H 351
Katsuta S → Wada M 689
Kawahara K, Hunger M, Giebisch G: Calcium-activated potassium channels in the luminal membrane of *Amphiuma* diluting segment: voltage-dependent block by intracellular Na^+ upon depolarisation 422
Kawamura M → Matsushima Y 715
Kawashima Y → Takami H 144
Kawata T → Häberle DA 548
Kerr WL, Baskin RJ, Yeh Y: Diffraction ellipsometry studies of osmotically compressed muscle fibers 679
Kersting U → Oberleithner B 533
Kersting U → Oberleithner H 526
Khalil RA, van Breemen C: Intracellular free calcium concentration / force relationship in rabbit inferior vena cava activated by norepinephrine and high K^+ 727
Kimitsuki T, Mitsuiye T, Noma A: Maximum open probability of single Na^+ channels during depolarization in guinea-pig cardiac cells 493
Klitgaard H, Bergman O, Betto R, Salviati G, Schiaffino S, Clausen T, Saltin B: Co-existence of myosin heavy chain I and IIa isoforms in human skeletal muscle fibres with endurance training 470
Koechlin N → Bidet M 270
König S → Seller H 735
Königbauer B → Häberle DA 548
Koseki C → Matsushima Y 715
Krueger BK → Cukierman S 360
Kubota T → Ohno-Shosaku T 138
Kühn H, Tewes A, Gagelmann M, Güth K, Arner A, Rüegg JC: Temporal relationship between force, ATPase activity, and myosin phosphorylation during a contraction/relaxation cycle in a skinned smooth muscle 512
Kuhnen G → Jessen C 428
Kuki S → Takami H 144
Kumamoto E, Shinnick-Gallagher P: Slow inward and late slow outward currents induced by hyperpolarizing pre-pulses in cat bladder parasympathetic neurones 322
Kuno S-Y → Wada M 689
Kurachi Y → Hisada T 151
Kurachi Y, Ito H, Sugimoto T: Positive cooperativity in activation of the cardiac muscarinic K^+ channel by intracellular GTP 216
Kurtz A, Skott O, Chegini S, Penner R: Lack of direct evidence for a functional role of voltage-operated calcium channels in juxtaglomerular cells 281
Kusachi S → Tani H 442
Kuschinsky W → Göbel U 477
Kwon S-C → Ozaki H 351

Lang DG, Ritchie AK: Tetraethylammonium ion sensitivity of a 35-pS Ca^{2+}-activated K^+ channel in GH_3 cells that is activated by thyrotropin-releasing hormone 704
Lang F → Rehwald W 722
Lebrun F → Marchetti J 561
Leijendekker WJ, Elzinga G: Metabolic recovery of mouse extensor digitorum longus and soleus muscle 22
Lenfant J → Bois P 339
Lin M-T → Shina LR
Lönnendonker U, Neumcke B, Stämpfli R: Interaction of monovalent cations with tetrodotoxin and saxitoxin binding at sodium channels of frog myelinated nerve 750

Lovick TA: Selective modulation of cardiovascular response but not the antinociception evoked from the dorsal PAG, by 5-HT in the ventrolateral medulla 222
Lückhoff A, Busse R: Calcium influx into endothelial cells and formation of endothelium-derived relaxing factor is controlled by the membrane potential 305
Luk H-N, Carmeliet E: Na^+-activated K^+ current in cardiac cells: rectification, open probability, block and role in digitalis toxicity 766
Carmeliet E → Luk H-N 766
Lux HD → Jarolimek W 247
Lux HD → Streit J 368

Marchetti J, Taniguchi S, Lebrun F, Morel F: Cholinergic agonists increase cell calcium in rat medullary collecting tubules. A fura-2 study 561
Marcus DC → Wangemann P 262
Mast C → Häberle DA 548
Matsuda H → Takami H 144
Matsushima Y, Yoshitomi K, Koseki C, Kawamura M, Akabane S, Imanishi M, Imai M: Mechanisms of intracellular pH regulation in the hamster inner medullary collecting duct perfused in vitro 715
McBride DE → McLaughlin ML 639
McBride DE → Perrone RD 632
McGeown JG, Gallagher MJP: The effects of field stimulation on bovine mesenteric lymph node contractility 667
McLaughlin ML, McBride DE, Perrone RD: Secondary hyperaldosteronism stimulates acidification in rat distal colon 639
Metz C → Häberle DA 548
Meves H, Pohl J-A: A slow component in the gating current of the frog node of Ranvier 162
Millinoff LP → Wills NK
Milton RL, Caldwell JH: How do patch clamp seals form? A lipid bleb model 758
Misgeld U → Jarolimek W 247
Mistry DK, Hablitz JJ: Activation of subconductance states by γ-aminobutyric acid and its analogs in chick cerebral neurons 454
Mitchell GS: Phrenic nerve responses to lung inflation and hypercapnia in decerebrate dogs 580
Mitsuiye T → Kimitsuki T 493
Mongo K → Alvarez JL 189
Montrose MH → Helmle-Kolb C 615
Moran O → Singer D 7
Morel F → Marchetti J 561
Morgan KG → Brozovich FB 742
Morgan TO → Delbridge LM 94
Murer H → Helmle-Kolb C 615
Murer H → Reshkin SJ 554
Murer H → Reshkin SJ 624

Nagel W → Dörge A 335
Nagel W, Dörge A: Analysis of anion conductance in frog skin 53
Nakamura M → Shimizu T 254
Nakatsu T → Tani H 442
Nasri-Sebdani M, Traoré F, Cognard C, Potreau D, Poindessault J-P, Raymond G: The depressing effect of tetracaine and ryanodine on the slow outward current correlated with that of contraction in voltage-clamped frog muscle fibres 106
Nava MP → Puerta ML 659
Neumcke B → Lönnendonker U 750
Nilius B: Permeation properties of a non-selective cation channel in human vascular endothelial cells 609
Nishimura M → Takami H 144
Noack Th, Deitmer P, Golenhofen K: Features of a calcium independent, caffeine sensitive outward current in single smooth muscle cells from guinea pig portal vein 467
Noma A → Kimitsuki T 493
Nortier J → Cogan E 694

Oberleithner H, Steigner W, Silbernagl S, Vogel U, Gstraunthaler G, Pfaller W: Madin-Darby canine kidney cells. III. Aldosterone stimulates an apical H^+/K^+ pump 540
Oberleithner H, Vogel U, Kersting U, Steigner W: Madin-Darby canine kidney cells. II. Aldosterone stimulates Na^+/H^+ and Cl^-/HCO_3^- exchange 533
Oberleithner H, Vogel U, Kersting U: Madin-Darby canine kidney cells. I. Aldosterone-induced domes and their evaluation as a model system 526
Ogata N, Tatebayashi H: Sodium current kinetics in freshly isolated neostriatal neurones of the adult guinea pig 594
Ohno-Shosaku T, Kubota T, Yamaguchi J, Fujimoto M: Regulation of inwardly rectifying K^+ channels by intracellular pH in opossum kidney cells 138
Okada Y → Hazama A 710
Ozaki H, Kwon S-C, Tajimi M, Karaki H: Changes in cytosolic Ca^{2+} and contraction induced by various stimulants and relaxants in canine tracheal muscle 351

Pahapill PA → Schlichter L 413
Penner R → Kurtz A 281
Perrone PD, McBride DE: Aldosterone and PCO_2 enhance K-dependent chloride absorption in rat distal colon 632
Perrone RD → McLaughlin ML 639
Petersen K-U, Wehner F, Winterhager JM: Transcellular bicarbonate transport in rabbit gallbladder epithelium: mechanisms and effects of cyclic AMP 312
Pfaller W → Oberleithner B 540
Pisarenko OI, Studneva IM, Shulzhenko VS, Kapelko VI: Relations between the energy state of the myocardium and release of some products of anaerobic metabolism during underperfusion 434
Pohl J-A → Meves H 162
Poindessault J-P → Nasri-Sebdani M 106
Potreau D → Nasri-Sebdani M 106
Poujeol P → Bidet M 270
Pringle JT → Delbridge LM 94
Puerta ML → Abelenda M 663
Puerta ML, Nava MP, Abelenda M, Fernández A: Inactivation of brown adipose tissue thermogenesis by oestradiol treatment in cold-acclimated rats 659

Quandt FN → Tang JM 347

Raymond G → Cognard C 98
Raymond G → Nasri-Sebdani M 106
Rehwald W, Hallbrucker Ch, Lang F: Influence of mepacrine, indomethacin, and nordihydroguaiaretic acid on the electrical properties of frog renal proximal tubules 722
Reshkin SJ, Forgo J, Murer H: Functional asymmetry in phosphate transport and its regulation in opossum kidney cells: parathyroid hormone inhibition 624
Reshkin SJ, Forgo J, Murer H: Functional asymmetry of phosphate transport and its regulation in opossum kidney cells: Phosphate transport 554
Rick R → Dörge A 335
Ritchie K → Lang DG 704
Rivet M → Cognard C 98
Robbins J, Sim JA: A transient outward current in NG108-15 neuroblastoma × glioma hybrid cells 130
Rodrigo GC, Chapman RA: A novel resin-filled ion-sensitive micro-electrode suitable for intracellular measurements in isolated cardiac myocytes 196
Roeper J, Hainsworth AH, Ashcroft FM: Tolbutamide reverses membrane hyperpolarization induced by activation of D_2 receptors and $GABA_B$ receptors in isolated substantia nigra neurones 473
Rohr S: A computerized device for long-term measurements of the contraction frequency of cultured rat heart cells under stable incubating conditions 201
Rojas C, Jaimovich E: Calcium release modulated by inositol trisphosphate in ruptured fibers from frog skeletal muscle 296
Roseau S → Semmekrot B 519
Rouzaire-Dubois B, Dubois J-M: Modification of electrophysiological and pharmacological properties of K channels in neuroblastoma cells induced by the oxidant chloramine-T 393
Roy G → Sauvé R 43
Rüegg JC → Kühn H 512

Saigusa T: Participation of interleukin-1 and tumor necrosis factor in the responses of the sympathetic nervous system during lipopolysaccharide-induced fever 225
Saito D → Tani H 442
Saltin B → Klitgaard H 470
Salviati G → Klitgaard H 470
Sauer M, Flemmer A, Thurau K, Beck FX: Sodium entry routes in principal and intercalated cells of the isolated perfused cortical collecting duct 88
Sauvé R, Diarra A, Chahine M, Simoneau C, Garneau L, Roy G: Single-channel and Fura-2 analysis of internal Ca^{2+} oscillations in HeLa cells: contri-

bution of the receptor-evoked Ca^{2+} influx and effect of internal pH 43
Scamps F → Alvarez JL 189
Scheid P → Clemens N 68
Schiaffino S → Klitgaard H 470
Schlichter LC, Grygorczyk R, Pahapill PA, Grygorczyk C: A large, multiple-conductance chloride channel in normal human T lymphocytes 413
Schröck H → Göbel U 477
Schulzke J-D → Fromm M 573
Schwalb M → Friedrich M 207
Seller H → Göbel U 477
Seller H, König S, Czachurski J: Chemosensitivity of sympathoexcitatory neurones in the rostroventrolateral medulla of the cat 735
Semmekrot B, Chabardès D, Roseau S, Siaume-Perez S, Butlen D: Developmental pattern of cyclic guanosine monophosphate production stimulated by atrial natriuretic peptide in glomeruli microdissected from kidneys of young rats 519
Sher E → Carbone E 170
Shian LR, Lin M-T: Stimulation of a bulbospinal 5-HT pathway in the rat brain produces hyperglycaemia 604
Shimizu T, Yoshitomi K, Nakamura M, Imai M: Effect of parathyroid hormone on the connecting tubule from the rabbit kidney: biphasic response of transmural voltage 254
Shinnick-Gallagher P → Kumamoto E 322
Shirley DG, Zewde T, Walter SJ: Renal function in normal and potassium-depleted rats before and after preparation for micropuncture experimentation 74
Shulzhenko VS → Pisarenko OI 434
Siaume-Perez S → Semmekrot B 519
Siffert W → Clemens N 68
Silbernagl S → Oberleithner B 540
Sim JA → Robbins J 130
Simmons NL → Griffiths NM 80
Simoneau C → Sauvé R 43
Singer D → Boton R 1
Singer D, Boton R, Moran O, Dascal N: Short- and long-term desensitization of serotonergic response in Xenopus oocytes injected with brain RNA: roles for inositol 1,4,5-trisphosphate and protein kinase C 7
Skott O → Kurtz A 281
Smith GL → Blanchard EM 219
Stämpfli R → Lönnendonker U 750
Stefani E → Garcia J 210
Steigner W → Oberleithner B 540
Steigner W → Oberleithner B 533
Steinbach JH → Covarrubias M 385
Streit J, Lux HD: Calcium current inactivation during nerve-growth-factor-induced differentiation of PC12 cells 368
Studneva IM → Pisarenko OI 434
Stuenkel EL, Hootman SR: Secretagogue effects on intracellular calcium in pancreatic duct cells 652
Sugimoto T → Hisada T 151
Sugimoto T → Kurachi Y 216

Tagawa K → Takami H 144
Tajimi M → Ozaki H 351
Takami H, Matsuda H, Kuki S, Nishimura M, Kawashima Y, Watari H, Furuya E, Tagawa K: Leakage of cytoplasmic enzymes from rat heart by the stress of cardiac beating after increase in cell membrane fragility by anoxia 144
Takeda R, Haji A, Hukuhara T Jr: Selective actions of anesthetic agents on membrane potential trajectory in bulbar respiratory neurons of cats 375
Tang JM, Wang J, Quandt FN, Eisenberg RS: Perfusing pipettes 347
Tani H, Saito D, Kusachi S, Nakatsu T, Hina K, Ueeda M, Watanabe H, Haraoka S, Tsuji T: Autoregulation by the right coronary artery in dogs with open chests; comparison with the left coronary artery 442
Taniguchi S → Marchetti J 561
Tatakis DW → Davidson RM 646
Tatebayashi H → Ogata N 594
Tauc M → Bidet M 270
Teisinger J → Zemková H 126
ter Keurs HEDJ → Herzog W 113
Tewes A → Kühn H 512
Thurau K → Dörge A 335
Thurau K → Sauer M 88
Traoré F → Nasri-Sebdani M 106
Trautwein W → Doerr T 230
Tsuji T → Tani H 442

Ueeda M → Tani H 442

Valle JR → Heiny JA 288
van Breemen C → Khalil RA 727
Vassort G → Alvarez JL 189
Vejsada R → Zemková H 126
Vereecke J → Heidbüchel H 213
Vogel U → Oberleithner B 533
Vogel U → Oberleithner B 540
Vogel U → Oberleithner H 526
Voipio J → Kaila K 501
Volk P → Jessen C 428
Vrbová G → De Luca A 17
Vyskočil F → Zemková H 126

Wada M, Katsuta S, Doi T, Kuno S-Y: Favourable associations between the myosin heavy-chain and light-chain isoforms in human skeletal muscle 689
Walsh MP → Brozovich FB 742
Walter SJ → Shirley DG 74
Wang J → Tang JM 347
Wangemann P, Marcus DC: K^+-induced swelling of vestibular dark cells is dependent on Na^+ and Cl^- and inhibited by piretanide 262
Watanabe H → Tani H 442
Watari H → Takami H 144
Wehner F → Petersen K-U 312
Weirich J → Eickhorn R 398
Wendt IR → Holroyd SM 406
Wills NK, Millinoff LP: Amiloride-sensitive Na^+ transport across cultured renal (A6) epithelium: evidence for large currents and high Na:K selectivity 481
Winterhager JM → Petersen K-U 312
Wu X → He X 36

Yamaguchi J → Ohno-Shosaku T 138
Yeh Y → Kerr WL 679
Yoshitomi K → Imai M 180
Yoshitomi K → Matsushima Y 715
Yoshitomi K → Shimizu T 254

Zemková H, Teisinger J, Almon RR, Vejsada R, Hník P, Vyskočil F: Immobilization atrophy and membrane properties in rat skeletal muscle fibres 126
Zewde T → Shirley DG 74